

```

{* Display Title *}
{literal}
<script language="JavaScript" type="text/javascript">
  // <!-- avoid HTML validation errors by including everything in a comment.
  function subjectHighlightOn(subjNum, partNum)
  {
    // Create shortcut to YUI library for readability:
    var yui = YAHOO.util.Dom;

    for (var i = 0; i < partNum; i++) {
      var targetId = "subjectLink_" + subjNum + "_" + i;
      var o = document.getElementById(targetId);
      if (o) {
        yui.addClass(o, "hoverLink");
      }
    }
  }

  function subjectHighlightOff(subjNum, partNum)
  {
    // Create shortcut to YUI library for readability:
    var yui = YAHOO.util.Dom;

    for (var i = 0; i < partNum; i++) {
      var targetId = "subjectLink_" + subjNum + "_" + i;
      var o = document.getElementById(targetId);
      if (o) {
        yui.removeClass(o, "hoverLink");
      }
    }
  }
  // -->
</script>
{/literal}
{* Display Cover Image *}

{if $scoreThumbMedium}
  <div class="alignright">
    {if $scoreThumbLarge}<a href="{ $scoreThumbLarge|escape}">{/if}
    
    {if $scoreThumbLarge}</a>{/if}
  </div>
{else}
{*  *}
{/if}

{* End Cover Image *}

{* Display Title *}
<h1>{ $scoreShortTitle|escape}
{if $scoreSubtitle}{ $scoreSubtitle|escape}{/if}
{if $scoreTitleSection}{ $scoreTitleSection|escape}{/if}
{if $scoreallegrotitel} { $scoreallegrotitel.0|escape}{/if}
{* {if $scoreTitleStatement}{ $scoreTitleStatement|escape}{/if} *}
</h1>
{* End Title *}

```

```
{if $scoreSummary}<p>{$scoreSummary|truncate:300:"..."|escape} <a
href="{ $url }/Record/{ $id|escape:"url"}/Description#tabnav">{translate text='Full
description'}</a></p>{/if}

{* Display Main Details *}
<table cellpadding="2" cellspacing="0" border="0" class="citation" summary="{translate
text='Bibliographic Details'}">
  {if !empty($scoreNextTitles)}
  <tr valign="top">
    <th>{translate text='New Title'}: </th>
    <td>
      {foreach from=$scoreNextTitles item=field name=loop}
      <a
      href="{ $url }/Search/Results?lookfor=%22{ $field|escape:"url"%22&amp;type=Title">{ $fiel
      d|escape}</a><br>
      {/foreach}
    </td>
  </tr>
  {/if}

  {if !empty($scorePrevTitles)}
  <tr valign="top">
    <th>{translate text='Previous Title'}: </th>
    <td>
      {foreach from=$scorePrevTitles item=field name=loop}
      <a
      href="{ $url }/Search/Results?lookfor=%22{ $field|escape:"url"%22&amp;type=Title">{ $fiel
      d|escape}</a><br>
      {/foreach}
    </td>
  </tr>
  {/if}

  {if !empty($scoreMainAuthor)}
  <tr valign="top">
    <th>{translate text='Main Author'}: </th>
    <td><a
    href="{ $url }/Author/Home?author={ $scoreMainAuthor|escape:"url" }">{ $scoreMainAuthor|escape}</
    a></td>
  </tr>
  {/if}

  {if !empty($scoreCorporateAuthor)}
  <tr valign="top">
    <th>{translate text='Corporate Author'}: </th>
    <td><a
    href="{ $url }/Author/Home?author={ $scoreCorporateAuthor|escape:"url" }">{ $scoreCorporateAuthor
    |escape}</a></td>
  </tr>
  {/if}

  {if !empty($scoreContributors)}
  <tr valign="top">
    <th>{translate text='Other Authors'}: </th>
    <td>
      {foreach from=$scoreContributors item=field name=loop}
```

```

    <a href="{ $url }/Author/Home?author={ $field|escape:"url" }">{ $field|escape }</a>{ if
    ! $smarty.foreach.loop.last }, { /if }
  { /foreach }
</td>
</tr>
{ /if }

```

```

<tr valign="top">
  <th>{ translate text='Format' }: </th>
  <td>
    { if is_array($recordFormat) }
    { foreach from=$recordFormat item=displayFormat name=loop }
    <span class="iconlabel"
    { $displayFormat|lower|regex_replace:"/[^a-z0-9]/":" " }>{ translate
    text=$displayFormat }</span>
    { /foreach }
    { else }
    <span class="iconlabel"
    { $recordFormat|lower|regex_replace:"/[^a-z0-9]/":" " }>{ translate
    text=$recordFormat }</span>
    { /if }
  </td>
</tr>

```

```

<tr valign="top">
  <th>{ translate text='Language' }: </th>
  <td>{ foreach from=$recordLanguage item=lang }{ $lang|escape }<br>{ /foreach }</td>
</tr>

```

```

{ if !empty($corePublications) }
<tr valign="top">
  <th>{ translate
  text='
  ' }: </th>
  <td>
    { foreach from=$corePublications item=field name=loop }
    { $field|escape }<br>
    { /foreach }
  </td>
</tr>
{ /if }

```

ISBN einfügen Zeile 140 bis 150



```

{* Zeile 140 bis 150 ist für die Beschreibungsübersicht speziell für die ISBN *}

  { if !empty($extendedISBNs) }
  { assign var=extendedContentDisplayed value=1 }
  <tr valign="top">
    <th>{ translate text='ISBN' }: </th>
    <td>
      { foreach from=$extendedISBNs item=field name=loop }
      { $field|escape }<br>
      { /foreach }
    </td>
  </tr>
  { /if }

```

```

{* Zeile 154 bis 164 ist für die Beschreibungsübersicht speziell für die Signatur *}

```

```
{if !empty($extendedcallnumber)}
{assign var=extendedContentDisplayed value=1}
<tr valign="top">
  <th>{translate text='Call Number'}: </th>
  <td>
    {foreach from=$extendedcallnumber item=field name=loop}
      {$field|escape}<br>
    {/foreach}
  </td>
</tr>
{/if}

{if !empty($scoreEdition)}
<tr valign="top">
  <th>{translate text='Edition'}: </th>
  <td>
    {$scoreEdition|escape}
  </td>
</tr>
{/if}

{* Display series section if at least one series exists. *}
{if !empty($scoreSeries)}
<tr valign="top">
  <th>{translate text='Series'}: </th>
  <td>
    {foreach from=$scoreSeries item=field name=loop}
      {* Depending on the record driver, $field may either be an array with
        "name" and "number" keys or a flat string containing only the series
        name. We should account for both cases to maximize compatibility. *}
      {if is_array($field)}
        {if !empty($field.name)}
          <a
            href="{ $url }/Search/Results?lookfor=%22{$field.name|escape:"url"}%22&amp;type=Series"
            >{$field.name|escape}</a>
          {if !empty($field.number)}
            {$field.number|escape}
          {/if}
          <br>
        {/if}
      {else}
        <a
            href="{ $url }/Search/Results?lookfor=%22{$field|escape:"url"}%22&amp;type=Series"
            >{$field|escape}</a><br>
        {/if}
      {/foreach}
    </td>
</tr>
{/if}

{if !empty($scoreSubjects)}
<tr valign="top">
  <th>{translate text='Subjects'}: </th>
  <td>
    {foreach from=$scoreSubjects item=field name=loop}
```

```

    {assign var=subject value=""}
    {foreach from=$field item=subfield name=subloop}
      {if !$smarty.foreach.subloop.first} &gt; {/if}
      {assign var=subject value="$subject $subfield"}
      <a id="subjectLink_{$smarty.foreach.loop.index}_{$smarty.foreach.subloop.index}"

        href="{$_url}/Search/Results?lookfor=%22{$subject|escape:"url"}%22&amp;type=Subject
        "
        onmouseover="subjectHighlightOn({$smarty.foreach.loop.index},
        {$smarty.foreach.subloop.index});"
        onmouseout="subjectHighlightOff({$smarty.foreach.loop.index},
        {$smarty.foreach.subloop.index});">{$subfield|escape}</a>
    {/foreach}
    <br>
  {/foreach}
</td>
</tr>
{/if}

{if !empty($scoreURLs) || $scoreOpenURL}
<tr valign="top">
  <th>{translate text='Online Access'}: </th>
  <td>
    {foreach from=$scoreURLs item=desc key=currentUrl name=loop}
      <a href="{if
        $proxy}{$proxy}/login?qurl={$currentUrl|escape:"url"}{else}{$currentUrl|escape}{/if}">
        {$desc|escape}</a><br/>
    {/foreach}
    {if $scoreOpenURL}
      {include file="Search/openurl.tpl" openUrl=$scoreOpenURL}<br/>
    {/if}
  </td>
</tr>
{/if}

{if !empty($scoreRecordLinks)}
{foreach from=$scoreRecordLinks item=coreRecordLink}
<tr valign="top">
  <th>{translate text=$coreRecordLink.title}: </th>
  <td><a href="{$_scoreRecordLink.link|escape}">{$coreRecordLink.value|escape}</a></td>
</tr>
{/foreach}
{/if}

<tr valign="top">
  <th>{translate text='Tags'}: </th>
  <td>
    <span style="float:right;">
      <a href="{$_url}/Record/{$_id|escape:"url"}/AddTag" class="tool add"
        onClick="getLightbox('Record', 'AddTag', '{$_id|escape}', null, '{translate
        text="Add Tag"}'); return false;">{translate text="Add"}</a>
    </span>
    <div id="tagList">
      {if $tagList}
        {foreach from=$tagList item=tag name=tagLoop}
          <a
            href="{$_url}/Search/Results?tag={$tag->tag|escape:"url"}">{$tag->tag|escape:"html"}</a>

```

```
> ({$tag->cnt}){if !$smarty.foreach.tagLoop.last}, {/if}
  {/foreach}
{else}
  {translate text='No Tags'}, {translate text='Be the first to tag this record'}!
{/if}
</div>
</td>
</tr>
</table>
{* End Main Details *}
```